

i-tec USB C HDMI Travel Adapter PD/Data

i-tec USB-C HDMI and USB Adapter with Power Delivery Function, 1x HDMI 4K Ultra HD 3840x2160 px, 2x USB 3.0 Port, 1x USB-C Power Delivery / Data Port – can be used as another USB-C port, compatible with Thunderbolt 3, for Windows, Mac OS, Android, Chrome



PRODUCT DESCRIPTION

Set up your workplace exactly as it suits your needs the best. Connect your favourite peripherals to your laptop, tablet, PC or smartphone with new USB-C or Thunderbolt 3 interface. Expand your desktop to external HDMI monitor or connect projector or television with HDMI interface. The adapter supports 4K Ultra HD video with resolution up to 3840x2160@30Hz and stereo sound.

The adapter offers 2x USB 3.0 port for connecting your standard USB 3.1/3.0/2.0 devices and high-speed data transmission (5 Gbps), and 1x USB-C Power Delivery / Data Port for charging laptops, tablets or smartphones with support for Power Delivery. To this port you can connect an original or a universal AC power adapter with USB-C connector, it ensures the constant charging of your laptop, tablet or smartphone during your work. This port also enables data transfer, therefore can be used to connect modern data devices with USB-C connector (e.g. Ethernet adapter, USB Flash Drive...). However, the port does not enable video transfer.

The adapter is suitable for use with MacBook Pro 2016, MacBook 2015, Chromebook Pixel 2015, Acer Switch Alpha 12, Dell XPS 13, HP EliteBook Folio G1, ASUS UX390UAK and other devices with the USB-C connector. The USB-C connector has many advantages, it is smaller, symmetrical and allows easy connection because now you don't have to worry about the connector rotation. You will appreciate compact dimensions and low weight of the adapter, especially during travels. The drivers are automatically installed from the system when you first connect.

Please make sure to check a compatibility of your device, whether it meets all the requirements for an operation of the specific i-tec product, especially video output (Display Port Alt mode), and/or Power Delivery. If your device would not be fully compatible, your new i-tec product may not operate correctly. You may find the specifications your device (i.e. USB port), in a user manual supplied with your notebook/tablet/smartphone, or – alternatively – via customer service provided by a manufacturer of your device. If still uncertain, however, contact our service at support@itecproduct.com.

Long product description: i-tec USB-C HDMI and USB Adapter with Power Delivery Function, 1x HDMI 4K Ultra HD 3840x2160 px, 2x USB 3.0 Port, 1x USB-C Power Delivery / Data Port – can be used as another USB-C port, compatible with Thunderbolt 3, for Windows, Mac OS, Android, Chrome

PRODUCT FEATURES

- 1x integrated USB-C cable for connecting to the host device (13cm)
- Graphic adapter technology: [USB-C](#)
- Power Delivery: 60W
- Video port:
 - 1x HDMI
- [Supported Resolutions:](#)
 - **Host device with DisplayPort 1.2 support:**
 - 1 monitor - 1x HDMI → up to 4K/30Hz
 - 1 monitor - 1x HDMI → up to 1080p/120Hz
- 1x USB-C port gen. 1 + PD (data + power delivery)
- 2x USB 3.0 port
- OS: Windows 10 / 11, macOS, iPadOS*, Android*, Chrome OS and Linux with latest updates
- Product dimensions: 90 x 58 x 14 mm
- Product weight: 60 g
- Package dimensions: 145 x 130 x 25 mm
- Package weight: 105 g

SYSTEM REQUIREMENTS

Hardware Requirements:

- Device with a free USB-C, USB4 or Thunderbolt™ 3/4 port

Power Delivery Requirements:

- Device with a free USB-C, USB4 or Thunderbolt™ 3/4 port with Power Delivery support

Video Output Requirements:

- Device with a free USB-C or USB4 port with DisplayPort Alternate Mode support or a Thunderbolt™ 3/4 port

Operating System:

- Windows 10 / 11, macOS, iPadOS*, Android*, Chrome OS and Linux with latest updates

* iPadOS, Android do not support multi-screen video transfer technology, nor the extended screen option. This means that when connected to an external monitor, only the mirrored screen will be displayed. (Not valid for androids with DEX and Easy Projection extension)

SPECIFICATION

Part Number	Product Description & EAN
C31DTPDHDMI	i-tec USB C HDMI Travel Adapter PD/Data EAN: 8595611701894
Hardware	
Bus type	USB-C, Thunderbolt-3, Thunderbolt-4
Ports/Connectors	
USB 3.0 TYPE A	2

USB-C POWER DELIVERY INPUT	1
HDMI	1
POWER DELIVERY	1
POWER DELIVERY MAX WATTAGE	60W
System Requirements	
Operating system	Windows 10/11 macOS X Android Linux Chrome OS R51 or later
Other features	
Colour	black
Housing Material	ABS
Product Dimensions	90 x 58 x 14 mm
Product Weight	60 g
Package Weight	105 g
Packaging Dimensions (LxWxH)	145 x 130 x 25 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	
Product	
Manual	

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.pro](https://www.i-tec.pro). Specifications are subject to change without notice.

Updated 18.4.2023