

## i-tec USB-C Dual 4K/60Hz (single 8K/30Hz) HDMI Video Adapter

i-tec USB-C Dual 4K/60Hz (single 8K/30Hz) HDMI Video Adapter



### PRODUCT DESCRIPTION

Expand your desktop to two external HDMI monitors or connect projectors or television to your notebook, tablet or PC via new USB-C or Thunderbolt 3 connector. The adapter supports 1x 8K / 30 Hz or 2x 4K / 60 Hz\*. Using is very simple, just plug the adapter into the USB-C, USB4 or Thunderbolt 3/4 port on your computer, connect it with a display device via HDMI cable and you can immediately start using. Driver installation is automatic from the system. \*Note: macOS operating system does not support Multi Stream Transport (MST) video transfer technology, which means that if connected to macOS, the same image will be projected on both connected monitors.

### PRODUCT FEATURES

- 1x integrated USB-C cable for connection to the host device (30 cm)
- Graphics Adapter Technology: [USB-C \(MST\)](#)
- Video ports:
  - 2x HDMI
- Supported resolutions:
- **Host device with DisplayPort 1.2 support:**
  - 1 monitor - 1x HDMI 1/2 → up to 4K/60Hz
  - 1 monitor - 1xHDMI 1/2 → up to QHD/144Hz
  - 2 monitors - 1x HDMI 1 + 1x HDMI 2 → up to 2x 4K/30Hz
- **Host device with DisplayPort 1.4 support:**
  - 1 monitor - 1x HDMI 1→ up to 8K/30Hz
  - 1 monitor - 1x HDMI 1/2 → up to 4K/120Hz or 1440p/240Hz or 1080p/360Hz
  - 2 monitors - 1x HDMI 1 + 1x HDMI 2 → up to 2x 4K/60Hz
- Operating System: Windows 10 / 11, macOS\*, iPadOS\*\*, Android\*\*, Chrome OS and Linux with latest updates
- Product dimensions: 70 x 60 x 15 mm
- Product weight: 53 g
- Package dimensions: 180 x 130 x 25 mm
- Package weight: 114 g

**SYSTEM REQUIREMENTS:** Hardware Requirements:

- Device with a free USB-C, USB4 or Thunderbolt™ 3/4 port

Video Output Requirements:

- Devices with a free USB-C or USB4 port with DisplayPort Alternate Mode support or Thunderbolt™ 3/4 port

Operating System:

- Windows 10 / 11, macOS\*, iPadOS\*\*, Android\*\*, Chrome OS and Linux with latest updates

\* macOS does not support Multi-Stream Transport (MST) technology. Connecting two monitors to the station via the DisplayPort ports on macOS will cause both monitors to display the same image.

\*\* iPadOS, Android do not support multi-screen image transfer technology or the extended screen option. This means that when connected to an external monitor, only the mirrored screen will be displayed. (Not valid for Android devices with DEX and Easy Projection extensions).

## SPECIFICATION

| Part Number                  | Product Description & EAN  |
|------------------------------|--|
| C31DUAL4K60HDMI              | i-tec USB-C Dual 4K/60Hz (single 8K/30Hz) HDMI Video Adapter<br>EAN: 8595611706561   |
| -                            | i-tec USB-C Dual 4K/60Hz (single 8K/30Hz) HDMI Video Adapter<br>EAN: -   |
| Hardware                     |  |
| Bus type                     | USB-C, Thunderbolt-3, Thunderbolt-4, USB4  |
| System Requirements          |  |
| Operating system             | Windows 10/11<br>macOS X<br>Android<br>Linux<br>Chrome OS R51 or later<br>Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically. |
| Other features               |  |
| Colour                       | black  |
| Housing Material             | ABS  |
| Product Dimensions           | 70 x 60 x 15 mm  |
| Product Weight               | 53 g   |
| Package Weight               | 114 g  |
| Packaging Dimensions (LxWxH) | 180 x 130 x 25 mm  |
| Support                      |  |
| Warranty period              | 2 years  |
| Technical support            | lifetime   |
| Package contents             |  |

|         |
|---------|
| Product |
| Manual  |

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.pro](https://www.i-tec.pro).  
Specifications are subject to change without notice.

Updated 21.12.2023