

## i-tec USB-C Low Profile Docking Station

i-tec USB-C Low Profile Docking Station,  
 1x HDMI 4K Ultra HD 3840 x 2016 @ 30  
 Hz, 1x SD Card Reader, 1x GLAN  
 Ethernet, 3x USB 3.0 ports, 1x USB-C  
 port, 1x USB-C Power Delivery port,  
 Compatible with Thunderbolt 3



### PRODUCT DESCRIPTION

**Product Description** Enhance your notebook, tablet or smartphone using USB-C connectivity. This Thunderbolt 3 compatible docking station features an HDMI port supporting Ultra HD 4K resolution (3840 x 2160 px. @ 30 Hz) and stereo sound. USB-C Power Delivery (PD) port enables a notebook, tablet or smartphone to be powered and charged (max. 60 W).

The unit features two USB-C ports, 1x USB C 3.1 supporting a data transfer rate of 5 Gbps and one USB-C PD port, which is capable of charging all notebooks, tablets, and smartphones with Power Delivery support (up to 20V/3A, max. 60 W). In addition, there are 3x USB 3.0 ports (USB 3.1/3.0/2.0 backward compatible), making it easy to connect all of your existing hardware.

The SD card slot offers quick and easy transfer of data between your digital camera, video camera, MP3 player etc., and your notebook or PC. The Gigabit Ethernet RJ45 port provides reliable, robust and high-speed internet connection, supporting 10/100/1000 Mbps speeds. No external power supply or driver download is required - simply plug & play.

C31FLATDOCKPD is extremely compact, perfect for use at home, in the office, or if you are on the move. The connection of all hardware through a single device, via one USB-C port, helps to keep your workspace clean, tidy, and free from unwanted cables. Suitable for use with MacBook Pro 2016, Macbook 2015, Chromebook Pixel 2015, Acer Switch Alpha 12, Dell XPS 13 and HP Elitebook Folio G1, as well as other devices with USB-C connectivity.

#### Additional Important Information:

- The video transfer is not supported via the USB-C 3.1 (Gen. 1) port. This function is not supported by USB-C docking stations but is supported by Thunderbolt 3 docking stations.
- Not all devices/systems with USB-C interface support the full standard functionality. Please ensure that your USB-C device supports DP alt mode and USB Power Delivery.

#### Product Overview & Features

- Connect your notebook, tablet or smartphone to an additional monitor and your favourite hardware via a single USB-C or Thunderbolt 3 port
- Supports all devices with the USB-C interface with "DisplayPort Alternate Mode" and „Power Delivery“, or Thunderbolt 3 port
- 1x HDMI port supporting Ultra HD 4K resolution (3840 x 2160 ps. @ 30 Hz) and stereo sound
- 1x USB-C 3.1 (gen. 1) port to connect other USB-C devices, supports a data transfer rate of up to 5 Gbps
- 1x USB-C PD port (profile 4) for charging all notebooks, tablets, and smartphones with Power Delivery support (up to 20V/3A, max. 60 W)
- 3x USB 3.0 ports (USB 3.1/3.0/2.0 compatible), making it easy to connect all of your favourite existing hardware.
- 1x SD card slot offers quick and easy transfer of data between your digital camera, video camera, MP3

- player etc., and your notebook or PC
- Fast network and Internet access with Gigabit Ethernet RJ-45 port, supporting 10/100/1000 Mbps speeds
- Ideal for graphic designers, financial officers, gamers and other users working with more than one monitor simultaneously using the “Mirror” or “Extend” modes.
- 1x USB-C cable for connecting docking station to host
- Supports Windows 10 32/64 bit, Mac OS X, Chrome OS and Android 6
- Cross-brand and cross-platform compatibility

Please make sure to check a compatibility of your device, whether it meets all the requirements for an operation of the specific i-tec product, especially video output (Display Port Alt mode), and/or Power Delivery. If your device would not be fully compatible, your new i-tec product may not operate correctly. You may find the specifications your device (i.e. USB port), in a user manual supplied with your notebook/tablet/smartphone, or - alternatively - via customer service provided by a manufacturer of your device. If still uncertain, however, contact our service at [support@itecproduct.com](mailto:support@itecproduct.com).

## PRODUCT FEATURES

- Connect to your notebook, tablet, PC or smartphone your favourite devices via new USB-C or Thunderbolt 3 interface
- 1x USB-C 3.1 connector, transfer rate up to 10 Gbps, for connecting to a notebook, tablet, PC or smartphone
- 1x USB-C 3.1 (gen. 1) port for connecting your devices with a new USB-C connector, transfer rate up to 5 Gbps
- 3x USB-A 3.0 port for connecting your current USB 3.1/3.0/2.0 devices and high-speed data transmission (5 Gbps)
- 1x USB-C Power Delivery port with the profile 4 (max. 60W) for charging notebooks, tablets or smartphones with support for Power Delivery. To this port you can connect an original or a universal AC power adapter with USB-C connector, it ensures the constant charging of your notebook, tablet or smartphone during your work.
- Fast network and Internet access with Gigabit Ethernet connection, 1x Ethernet GLAN RJ-45 port supports 10/100/1000 Mbps speeds
- 1x SD Card Reader (Spec. SD 4.0)
- Graphic interface: 1x HDMI, max. resolution 3840x2160@30Hz, for connecting an external monitor, projector or television, it allows transferring video and stereo audio
- Mode: Extend, Mirror and Primary Display
- Supported colors 16/32 bit
- 1x AC/DC 5V Power Jack
- Powered through USB bus, no power adapter is needed
- OS: Requires USB-C interface with "DisplayPort Alternate Mode" and „Power Delivery“ support (not all devices/systems with USB-C interface supports the standard) or Thunderbolt 3 port – Windows 10 32/64bit, Mac OS X, Chrome OS and Android 6 (Google) with Intel Broadwell Processor and R51 and higher
- Product dimensions: 280 x 70 x 22 mm
- Product weight: 198 g
- Packaging dimensions: 325 x 110 x 25 mm
- Packaging weight: 311 g

## SYSTEM REQUIREMENTS

Hardware requirements: notebook, tablet, PC or smartphone with OS Windows, Mac or Google with a free USB-C port with "DisplayPort Alternate Mode" and „Power Delivery“ support or Thunderbolt 3 port Operating system: Windows 10, Mac OS X, Google (Chrome OS and Android 6) with latest updates

## PACKAGE CONTENTS

- i-tec USB-C Docking Station with cable (15 cm)
- Extra set of silicone anti-slip self-adhesive pads

- Quick Start

## SPECIFICATION

Part Number	Product Description & EAN
C31FLATDOCKPD	i-tec USB-C Low Profile Docking Station EAN: 8595611701702
<b>Hardware</b>	
Bus type	USB-C, Thunderbolt-3
<b>Ports/Connectors</b>	
USB 3.0 TYPE A	3
USB-C POWER DELIVERY INPUT	1
USB-C 3.1 DATA	1
HDMI	1
LAN RJ-45	1
SD CARD READER	1
POWER DELIVERY MAX WATTAGE	60W
<b>System Requirements</b>	
Hardware	Hardware requirements: notebook, tablet, PC or smartphone with OS Windows, Mac or Google with a free USB-C port with "DisplayPort Alternate Mode" and „Power Delivery“ support or Thunderbolt 3 port
Operating system	Windows 7/8/8.1/10 (32/64 bit) Mac OS X Chrome OS Android 6, 7, 8 Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
<b>Other features</b>	
Colour	Black
Housing Material	Plastic
Product Dimensions	280 x 70 x 22 mm
Product Weight	198 g
Package Weight	499 g
Packaging Dimensions (LxWxH)	325 x 110 x 25 mm
<b>Support</b>	
Warranty period	2 years
Technical support	lifetime
<b>Package contents</b>	
i-tec USB-C Docking Station with cable (15 cm)	
Extra set of silicone anti-slip self-adhesive pads	
Quick Start	

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.cz](https://www.i-tec.cz). Specifications are subject to change without notice.

Updated 27.6.2018