

i-tec KVM Docking Station HDMI for 2 hosts, Power Delivery 2x 100W



PRODUCT DESCRIPTION

Compact and versatile docking station with integrated KVM switch for up to two hosts. Seamlessly switch between computers and share one monitor, keyboard, mouse, and accessories. With support for an external 4K/60 Hz display, dual Power Delivery (up to 2× 100 W*) and a wide range of USB ports, this docking station is the ideal solution for professionals looking for efficiency, flexibility and space savings.

Whether you use Windows, macOS, Linux, Android, ChromeOS, or iPadOS, this station makes it easy to work with multiple devices—at home, in the office, or on the go.

- One docking station for two hosts—instant switching between PC1 and PC2
- Dual Power Delivery—charges both connected devices up to 2× 100 W*
- One set of accessories (keyboard, mouse, external drives) for both hosts – economical, efficient, and fast
- 4K/60 Hz HDMI output for crystal-clear images
- Wide connectivity: USB-C and USB-A ports (up to 5 Gbps), audio jack, LED indicators
- Compact and lightweight design: only 130 × 65 × 16.5 mm, 146 g
- Compatible with major systems: Windows, macOS, Linux, Android, ChromeOS, iPadOS
- Low power consumption: only 5–10 W internally

* USB-C charger(s) not included

PRODUCT FEATURES

- Docking station technology: USB-C DP Alt Mode + USB-C PD + KVM switch
- 2× USB-C ports for connecting USB-C devices (PC1, PC2)
- Power Delivery: up to 100 W
- Internal consumption: 5–10 W
- Video outputs: 1× HDMI 2.0
- **Supported resolutions:**
 - 1 monitor via HDMI → up to 4K/60 Hz
- 1× USB-C PD port (power only)
- 1× USB-C PD port + USB 3.2 Gen 1 (5 Gbps)
- 3× USB-C 3.2 Gen 1 (5 Gbps)
- 2× USB-A 3.2 Gen 1 (5 Gbps)
- 1× combined 3.5 mm audio port
- 1× button – switch inputs between PC1 and PC2
- LED indicators
- OSs: Windows 10/11, macOS, Android, iPadOS, ChromeOS, Linux
- Product dimensions: 130 × 65 × 16.5 mm
- Product weight: 146 g

Hardware requirements:

- Device with a free USB-C, USB4, or Thunderbolt™ 3/4/5 port

Power Delivery requirements:

- Device with a free USB-C, USB4, or Thunderbolt™ 3/4/5 port with Power Delivery support

Video output requirements:

- Device with a free USB-C or USB4 port with DisplayPort Alternate Mode support, or with a Thunderbolt™ 3/4/5 port

Operating system:

- Windows 10/11, macOS, Android, iPadOS, ChromeOS, Linux

SPECIFICATION

PART NUMBER

C31KVMHDMIDOCKPD

PRODUCT DESCRIPTION & EAN

i-tec KVM Docking Station HDMI for 2 hosts, Power Delivery 2x 100W

EAN: 8595611707766

Hardware

Bus type

USB-C, Thunderbolt-3, Thunderbolt-4, Thunderbolt-5, USB4

System Requirements

Operating system

Windows 10/11

macOS X

Android

Linux

Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation.

Firmware updates automatically.

Other features

Product Dimensions

130 × 65 × 16,5 mm

Product Weight

146 g

Support

Warranty period

2 years

Technical support

Lifetime

Package contents

- Product
- 2× USB-C cable (100 cm)
- Instructions for use

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.pro](https://www.i-tec.pro). Specifications are subject to change without notice.

Updated 07/02/2026 17:13:59