

i-tec USB-C Pocket Dock 4K HDMI or VGA with PD

i-tec USB-C Pocket Dock 4K HDMI or VGA, flexible 23cm cable + Power Delivery 85W



PRODUCT DESCRIPTION

Our pocket dock was designed for with the rigours of life on the road in mind. It is compact, robust, feature-packed and, as the name would suggest, pocket sized. Capable of connecting to a modern 4K HDMI display, or to a legacy device such as a monitor or project that has VGA interface only, this small dock covers a big range of potential user scenarios and is Thunderbolt 3 compatible.

The dock is able to transfer data, video and power (up to 85 W) so you can charge your notebook while you work. The GLAN RJ-45 port means simple and easy internet or corporate network access and the USB ports make it easy to connect additional hardware and accessories. The cable wraps around the dock when not in use, so all ports and the USB-C connector are well protected when you are on the move.

UNIQUE DESIGN

- Attractive yet robust design that appeals to both corporate and home users.
- Round shape and compact form make this dock convenient to use and easy to transport.
- Integrated flat USB-C cable wraps around the dock to prevent exposure to dust and moisture.

INNOVATIVE CABLE MANAGEMENT

- Cable produced using durable and lightweight Flexible Printed Circuit technology (FPC).
- The cable can be bent, twisted and maneuvered in any direction, providing maximum flexibility.
- 23 cm length provides enough reach for use with any notebook, tablet or smartphone.

WIDE CHOICE OF PORTS & FEATURES

- HDMI and VGA ports permits the easy connection to a wide range of monitors and projectors
- 85W power delivery means even the most demanding notebooks can be charged via the dock.
- Gigabit LAN port provides seamless and robust network and Internet connection.

SMART CHOICE OF MATERIALS

- Hardened ABS housing with satin finish is both scratch and fingerprint resistant
- Circular rubber pad on the base provides stability when placed on a desktop.



• Smooth edges reduce the chances of damaging your notebook while on the move.

Available in August 2019

PRODUCT FEATURES

- 1x integrated USB-C cable for connecting to the host device (23 cm)
- Power Delivery: 85W
- · Video Ports:
 - 1x HDMI
 - 1x VGA
- Supported Resolutions:
 - ∘ 1 monitor 1x HDMI \rightarrow up to 4K/30Hz
 - \circ 1 monitor 1x VGA → up to 1920x1080/60Hz
- 1x USB-C port PD (power delivery only)
- 2x USB 3.0 port
- 1x Ethernet GLAN RJ-45 port (RTL8153)
- OS: Windows 10, macOS X, Android, Chrome OS Google with the latest updates
- Product dimensions: Ø90 x 22 mm
- Product weight: 98 g
- Package dimensions: 120 x 120 x 28 mm
- Package weight: 160 g

SYSTEM REQUIREMENTS

Hardware requirements:

Device with an available USB-C or Thunderbolt[™] 3 port

Power Delivery Requirements:

• Host device with an available USB-C or Thunderbolt™3 port that provides Power Delivery support

Video output requirements:

• Device with an available USB-C port with "DisplayPort Alternate Mode" support or a Thunderbolt™ 3 port

Operating System:

• Windows 10, macOS X, Android, Chrome OS Google with the latest updates

SPECIFICATION

| Part Number | Product Description & EAN | |
|----------------------------|--|--|
| C31POCKET4KDOCKPD | i-tec USB-C Pocket Dock 4K HDMI or VGA with PD EAN: 8595611702877 | |
| Hardware | | |
| Bus type | USB-C, Thunderbolt-3 | |
| Ports/Connectors | | |
| USB 3.0 TYPE A | 2 | |
| USB-C POWER DELIVERY INPUT | 1 | |
| HDMI | 1 | |



| VGA | 1 |
|------------------------------|---|
| LAN RJ-45 | 1 |
| System Requirements | |
| Hardware | Hardware requirements: Device with an available USB-C or Thunderbolt™ 3 port. Power Delivery Requirements: Host device with an available USB-C or Thunderbolt™ 3 port that provides Power Delivery support. Video output requirements: Device with an available USB-C port with "DisplayPort Alternate Mode" support or a Thunderbolt™ 3 port |
| Operating system | Windows 10 macOS X Android Chrome OS R51 or later |
| Other features | |
| Colour | Black |
| Housing Material | Plastic |
| Product Dimensions | Ø 90 x 22 mm |
| Product Weight | 98 g |
| Package Weight | 160 g |
| Packaging Dimensions (LxWxH) | 120 x 120 x 28 mm |
| Support | |
| Warranty period | 2 years |
| Technical support | lifetime |
| Package contents | |
| Product | |
| Manual | |

For further information regarding setup or for answers to FAQ's, please visit our website $\underline{i\text{-tec.cz}}$. Specifications are subject to change without notice.

Updated 30.8.2019