

i-tec USB-C Metal HDMI and VGA Adapter

i-tec USB-C to HDMI and VGA Adapter, 1x HDMI 4k/30 Hz, 1x VGA 1080p / 60Hz, compatible with Thunderbolt 3



PRODUCT DESCRIPTION

Expand your desktop to external HDMI and/or VGA monitor or connect projector or television with HDMI or VGA interface to your notebook, tablet or PC via new USB-C or Thunderbolt 3 connector. The adapter supports the resolution:

- HDMI: 4K Ultra HD (up to 3840 x 2160 @30Hz, and stereo sound)
- VGA: 1080p (up to 1920 x 1080 @ 60Hz)

The adapter offers the “Extend” mode (support for 1 external monitor, either HDMI or VGA), or the “Mirror” mode (support for two external monitors, both displaying the same content). The “Mirror” mode is perfect for presentations (notebook/tablet connected via this adapter to the HDMI monitor and the VGA projector). In the case of two monitors connected, the maximum resolution is 1080p / 60 Hz for both of them.

- 1x HDMI (spec. 2.0b), max. 3840 x 2160 / 30Hz
- 1x VGA, max. 1920 x 1080 / 60Hz
- Modes: “Extend” (support for 1 external monitor), “Mirror” (support for up to two external monitors)

Please make sure to check a compatibility of your device, whether it meets all the requirements for an operation of the specific i-tec product, especially video output (Display Port Alt mode). If your device would not be fully compatible, your new i-tec product may not operate correctly. You may find the specifications your device (i.e. USB port), in a user manual supplied with your notebook/tablet/smartphone, or – alternatively – via customer service provided by a manufacturer of your device. If still uncertain, however, contact our service at support@itecproduct.com.

Long product description: i-tec USB-C to HDMI and VGA Adapter, 1x HDMI 4k/30 Hz, 1x VGA 1080p / 60Hz, compatible with Thunderbolt 3

PRODUCT FEATURES

- 1x integrated USB-C cable for connecting to the host device (15cm)
- Video ports:
 - 1x HDMI
 - 1x VGA
- Supported Resolutions:
 - 1 monitor – 1x HDMI → up to 4K/30Hz
 - 1 monitor – 1x VGA → up to 1920x1080/60Hz
 - 2 monitors – 1x HDMI + 1x VGA → up to 2x 1920x1080/60Hz

- OS: Windows 10, macOS X, Android, Chrome OS Google with the latest updates
- Product dimensions: 61 x 40 x 15 mm
- Product weight: 48 g
- Package dimensions: 130 x 100 x 20 mm
- Package weight: 69 g

SYSTEM REQUIREMENTS

Hardware Requirements:

- Device with an available USB-C or Thunderbolt™ 3 port

Video output requirements:

- Device with an available USB-C port with “DisplayPort Alternate Mode” support or with Thunderbolt™ 3 port

Operating System:

- Windows 10, macOS X, Android, Chrome OS Google with the latest updates

SPECIFICATION

Part Number	Product Description & EAN
C31VGAHDMIADA	i-tec USB-C Metal HDMI and VGA Adapter EAN: 8595611702778
-	i-tec USB-C Metal HDMI and VGA Adapter EAN: -
Hardware	
Bus type	USB-C, Thunderbolt-3
Ports/Connectors	
HDMI	1
VGA	1
System Requirements	
Hardware	Hardware Requirements: Device with an available USB-C or Thunderbolt™ 3 port Video output requirements: Device with an available USB-C port with “DisplayPort Alternate Mode” support or with Thunderbolt™ 3 port
Operating system	Windows 10 macOS X Android Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
Other features	
Colour	Silver
Housing Material	Aluminium
Product Dimensions	61 x 40 x 15 mm
Product Weight	48 g

Package Weight	69 g
Packaging Dimensions (LxWxH)	130 x 100 x 20 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	
Product	
Manual	

For further information regarding setup or for answers to FAQ's, please visit our website i-tec.cz. Specifications are subject to change without notice.

Updated 15.10.2019