

i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station + Power Delivery 65W

i-tec USB 3.0 / USB-C 5K Universal Dual Display Docking Station, 2x 4K 60Hz Video, 2x HDMI, 2x Display Port, 1x GLAN Ethernet, 4x USB-A 3.0, 2x USB-C, 1x Audio Input / Output, On/Off Switch, charging-up via USB-C (up to 65W), Power Adapter 100W, Kensington Lock, for Laptops, Tablets, Windows, Mac OS, Linux, Android, Thunderbolt 3 compatible



PRODUCT DESCRIPTION

Product Description

Enhance your notebook, tablet or smartphone, utilising USB-C or USB-A connectivity. This Thunderbolt 3 compatible USB-C dual monitor docking station features the latest DisplayLink DL9650 chipset and offers the flexibility of both USB-C and USB-A host interfaces. A connecting cable with both ends (USB-C for C, USB-C for A) is a part of the package. As far as the docking station is connected either to a laptop or to a tablet that supports charging-up at its USB-C or Thunderbolt 3 port, then it is able to provide the power supply (Power Delivery) up to 65W.*

The unit is equipped with four graphics outputs, 2x HDMI, and 2x DisplayPort, although a maximum of two monitors can be supported simultaneously. Connect two monitors simultaneously and enjoy the higher 4096 x 2160 resolution @ 60 Hz, using any interface configuration (DP + DP, DP + HDMI, HDMI + HDMI). 5K resolution (5120 x 2880 @ 60 Hz) is supported when a single monitor is connected via two DisplayPort cables.

4x USB-A 3.0 ports (USB 3.0 / 2.0 compatible) make it easy to connect all of your existing hardware and Gigabit Ethernet RJ45 port provides reliable, robust and high-speed internet connection, supporting 10/100/1000 Mbps speeds. 3.5 mm audio jacks can be found on the front panel and an easily accessible power-saving on/off switch can be found on the rear panel. The addition of a Kensington lock slot provides additional security, especially for those working regularly in public spaces.

i-tec docking stations are compatible with the vast majority of notebook brands and platforms, making it easier than ever to connect your favourite hardware. The unit is extremely compact, perfect for use at home or in the office. Due to the hybrid interface option especially hot desk use, due to the USB-C or USB-A interface options.

This docking station is suitable for use with MacBook Pro 2016, Macbook 2015, Chromebook Pixel 2015, Acer Switch Alpha 12, Acer Switch Alpha 13, Dell XPS 13, HP Elitebook Folio G1 and ASUS UX390UAK, as well as other devices with USB-C connectivity.

* **Note:** USB-C Power Delivery in selected HP laptops, specifically Elitebook and ZBook, uses proprietary technology. As a result, the resistance in the USB-C circuit is higher than normal. The docking station is fully

capable of charging these laptops, although it may need to be reset, using the On/Off button, following initial connection.

Product Overview & Features

- Connect your notebook, tablet or smartphone to additional monitors and your favourite hardware via a single USB-C or USB-A port (cable included)
- 1x USB-C port for connecting to a host with USB-C or USB-A interface; an interconnecting cable with both ends is a part of the package
- Graphic interface: 2x HDMI and 2x Display Port. The docking station supports the connection of max. 2 monitors. Resolution:
 - 1 monitor connected via 2 DP cables: 1x DP + 1x DP supports up to 5K 5120x2880@60Hz, host graphic card have to support 5K resolution
 - 2 monitors connected simultaneously: 1x DP + 1x DP supports up to 4K 4096 x 2160@60Hz; 1x DP + 1x HDMI supports up to 4K 4096 x 2160 @ 60Hz; 1x HDMI + 1x HDMI supports up to 4K 4096 x 2160 @ 60Hz
- 4x USB-A 3.0 ports for connecting all existing hardware and accessories. USB-A ports are compatible with USB 3.1 and backward compatible with USB 3.0 / 2.0 devices and providing high-speed data transmission (5 Gbps), USB Hot Swapping support, from that 1x USB-A 3.0 with the support of quick charging-up for smartphones and tablets (BC 1.2)
- 2x USB-C 3.1 port for the connection of your devices with a support of USB-C, supporting high-speed data transfer (5 Gbps), a support of USB Hot Swapping function
- Features DisplayLink DL6950, VIA VL813 chipset
- Fast network and Internet access with Gigabit Ethernet RJ-45 port, supporting 10/100/1000 Mbps speeds
- Kensington lock slot to discourage theft
- Separate 3.5 mm audio input / output jacks
- Power-saving on / off switch allowing quick and easy reset of the docking station & power LED indicator
- 1x power supply input – external power adapter (output: DC 20V/5A)
- Supports Windows 7/8/8.1/ 10 32/64 bit, Mac OS X, Linux Ubuntu 14.04 / 16.04, Android 6 and later
- Cross-brand and cross-platform compatibility

Please make sure to check a compatibility of your device, whether it meets all the requirements for an operation of the specific i-tec product, especially video output (Display Port Alt mode), and/or Power Delivery. If your device would not be fully compatible, your new i-tec product may not operate correctly. You may find the specifications your device (i.e. USB port), in a user manual supplied with your notebook/tablet/smartphone, or – alternatively – via customer service provided by a manufacturer of your device. If still uncertain, however, contact our service at support@itecproduct.com.

Long product description: i-tec USB 3.0 / USB-C 5K Universal Dual Display Docking Station, 2x 4K 60Hz Video, 2x HDMI, 2x Display Port, 1x GLAN Ethernet, 4x USB-A 3.0, 2x USB-C, 1x Audio Input / Output, On/Off Switch, charging-up via USB-C (up to 65W), Power Adapter 100W, Kensington Lock, for Laptops, Tablets, Windows, Mac OS, Linux, Android, Thunderbolt 3 compatible

PRODUCT FEATURES

- 1x USB-C port for connecting to the host device with USB-C or USB-A port (cable USB-C and adapter from USB-C to USB 3.0 is included)
- Power Delivery: 65W
- Video Ports:
 - 2x Display Port
 - 2x HDMI
- Supported Resolutions:
 - 1 monitor – 1x Display Port → up to 4K/60Hz
 - 1 monitor – 1x HDMI → up to 4K/60Hz

- 1 monitor – 2x Display Port → up to 5K/60Hz
- 2 monitors – 1x Display Port + 1x Display Port → up to 2x 4K/60Hz
- 2 monitors – 1x Display Port + 1x HDMI → up to 2x 4K/60Hz
- 2 monitors – 1x HDMI + 1x HDMI → up to 2x 4K/60Hz
- 2x USB-C 3.1 port
- 3x USB 3.0 port
- 1x USB 3.0 port with fast charge support (BC 1.2)
- 1x Ethernet GLAN RJ-45 port (DisplayLink DL-6950)
- 1x 3,5mm Audio output, 1x 3,5mm Microphone input
- 1x Power input (DC 20V/5A)
- On/Off switch
- LED indicator
- Kensington lock support
- USB-C cable with USB-C to USB-A adapter(100 cm)
- OS: Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, 19.04, Android 5 or later, Chrome OS R51 or later
- Easy driver installation (Windows, MacOS, Ubuntu, Android)
- Product dimensions: 223 x 88 x 27 mm
- Product weight: 338 g
- Package dimensions: 314 x 144 x 60 mm
- Package weight: 1380 g

SYSTEM REQUIREMENTS

Hardware requirements:

- Device with an available USB-A, USB-C or Thunderbolt™ 3 port

Power Delivery Requirements:

- Host device with an available USB-C or Thunderbolt™ 3 port that provides Power Delivery support

Operating System:

- Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, 19.04, Android 5 or later, Chrome OS R51 or later

SPECIFICATION

| Part Number | Product Description & EAN |
|-------------------------|---|
| CADUA4KDOCKPDL | i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station + Power Delivery 65W EAN: 8595611702754 |
| CADUA4KDOCKPDLUS | i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station + Power Delivery 65W EAN: 8595611703973 |
| Hardware | |
| Bus type | USB-C, USB-3.0, Thunderbolt-3 |
| Ports/Connectors | |
| USB 3.0 TYPE A | 4 |
| USB-C 3.1 DATA | 2 |
| HDMI | 2 |
| DISPLAY PORT | 2 |

| | |
|---|---|
| AUDIO | 1 |
| MIC | 1 |
| LAN RJ-45 | 1 |
| DC POWER ADAPTER JACK | 1 |
| KENSINGTON LOCK SUPPORT | 1 |
| System Requirements | |
| Hardware | Hardware requirements: Device with an available USB-A, USB-C or Thunderbolt™ 3 port. Power Delivery Requirements: Host device with an available USB-C or Thunderbolt™ 3 port that provides Power Delivery support |
| Operating system | Windows 7 / 8 / 8.1 /10 macOS X Android 5 or later Linux Ubuntu 14.04, 16.04, 17.04, 17.10, 18.04, 19.04 Chrome OS R51 or later |
| Other features | |
| Colour | Black |
| Housing Material | Plastic |
| Product Dimensions | 223 x 88 x 27 mm |
| Product Weight | 338 g |
| Package Weight | 1380 g |
| Packaging Dimensions (LxWxH) | 314 x 144 x 60 mm |
| Support | |
| Warranty period | 2 years |
| Technical support | lifetime |
| Package contents | |
| Product | |
| USB-C cable with USB-C to USB-A adapter (100 cm) | |
| Power adapter (DC cable 110cm, power cable 170cm) | |
| Manual | |

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.cz](https://www.i-tec.cz). Specifications are subject to change without notice.

Updated 30.8.2019