

i-tec USB 3.0/USB-C/Thunderbolt, 3x Display Docking Station + Power Delivery 65W

i-tec USB 3.0/USB-C/Thunderbolt, 3x Display Docking Station + Power Delivery 65W



PRODUCT DESCRIPTION

A powerful professional docking station that supports output to up to three external monitors. The dock can be used with virtually any laptop as it supports connection to all common ports: USB 3.0, USB-C, USB4 and Thunderbolt" 3/4, while supporting all common current operating systems. However, connection to three monitors will only be possible with a laptop with a Thunderbolt 3/4 port or a USB-C port that supports video transfer (USB-C DP Alt mode).

Plenty of USB ports (including those that support speeds of up to 10 Gbps), reliable and fast connection to the corporate network thanks to the integrated LAN port and support for installation behind the monitor all make this docking station the ideal companion for true professionals. Of course, it supports charging your laptop or tablet (up to 65 W).

- Connect up to 3 external monitors*
- Power delivery: up to 65 W
- There are 2 HDMI* ports and one VGA port
- 2x USB 3.2, 1x USB-C and 2x USB 2.0 allow you to easily connect your USB devices and
- Gigabit Ethernet RJ-45 provides reliable, robust and high-speed internet connectivity with support for 10/100/1000 Mbps speeds
- Combo jack for audio and microphone
- Kensington lock provides anti-theft protection, especially in shared office environments or public areas
- Docking station power switch allows for maximum power savings
- Docking station supports a VESA mount for smart vertical installation behind a VESA-enabled monitor
- Supports Windows 10/11, macOS and Android

*HDMI 1 port will only work when connected to a laptop with Thunderbolt 3/4, USB4, or USB-C port supporting video transfer (called USB-C DP Alt mode) If the dock is connected via USB 3.0, charging of laptops and tablets is not supported

PRODUCT FEATURES

- 1x USB-C port for connection to USB-C or USB-A devices (USB-C cable and USB-C to USB 3.0 adapter included)
- Power Delivery: 65 W
- Video Ports:
 - 2x HDMI*
 - 1x VGA
- Resolution:

- 1 monitor - 1x HDMI 1 to 4K/60Hz
- 1 monitor - 1x HDMI 2 to 4K/30Hz
- 1 monitor - 1x VGA up to 1080p/60Hz
- 2 monitors - HDMI 1 + HDMI 2 up to 4K/60Hz + 4K/30Hz
- 2 monitors - HDMI 1 + VGA up to 4K/60Hz + 1080p/60Hz
- 2 monitors - HDMI 2 + VGA up to 4K/30Hz + 1080p/60Hz
- 3 monitors - HDMI 1 + HDMI 2 + VGA up to 4K/60Hz + 4K/30Hz + 1080p/60Hz
- 1x USB-C 3.2 Gen. 1 port (data only)
- 2x USB-A 3.2 port Gen. 1
- 2x USB-A 2.0
- 1x Ethernet GLAN RJ-45 port (ASIX AX88179)
- 1x 3.5mm Audio combo jack
- 1x power input (DC 20V/5A)
- ON/OFF switch to turn the docking station on and off
- LED indication
- Support for Kensington lock
- Support for VESA mounting
- USB-C to USB-C/USB-A cable (100cm)
- OS: Windows 10/11, macOS, Android
- Easy driver installation (Windows, macOS, Ubuntu, Android)
- Product dimensions: 191 x 85 x 31 mm
- Product weight: 341 g
- Package dimensions: 250 x 205 x 50 mm
- Package weight: 1460 g

Hardware requirements:

- Device with a free USB-A, USB-C, USB4 or Thunderbolt™ 3/4 port

Power Delivery Requirements:

- Device with a free USB-C, USB4 or Thunderbolt™ 3 port with "Power Delivery" support

HDMI 1 port video output requirements:

- Devices with a free USB4, USB-C port with "DisplayPort Alternate Mode" support or Thunderbolt™ 3/4 port

Operating System:

- OS: Windows 10/11, macOS, Android with latest updates

* HDMI 1 port will only work when connected to a laptop with Thunderbolt 3/4, USB4, or USB-C port supporting video transfer (USB-C DP Alt mode)

SPECIFICATION

Part Number	Product Description & EAN
CATRIPELEDOCKVGPDP	i-tec USB 3.0/USB-C/Thunderbolt, 3x Display Docking Station + Power Delivery 65W EAN: 8595611705632
CATRIPELEDOCKVGPDUK	i-tec USB 3.0/USB-C/Thunderbolt, 3x Display Docking Station + Power Delivery 65W EAN: 8595611705649

Hardware	
Bus type	USB-C, USB-3.0, USB4, Thunderbolt-3, Thunderbolt-4
Ports/Connectors	
System Requirements	
Operating system	Windows 10 macOS X Android Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
Other features	
Colour	black
Housing Material	ABS
Product Dimensions	191 x 85 x 31 mm
Product Weight	341 g
Package Weight	1460 g
Packaging Dimensions (LxWxH)	250 x 205 x 50 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	
Product	
USB-C to USB-C/USB-A cable (100cm)	
Power adapter 100W (DC cable 160cm, power cable 170cm)	
Manual	

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.pro](https://www.i-tec.pro). Specifications are subject to change without notice.

Updated 2.9.2022