

i-tec USB 3.0 / USB-C Dual 4K HDMI Video Adapter

i-tec USB 3.0 HDMI 2x 4K Ultra HD Display Adapter, 2x HDMI 4096x2160@60Hz, external monitor graphics card with latest DisplayLink chip 6950, for MacOS, Windows, Android, laptop, PC, tablet



PRODUCT DESCRIPTION

Extend your desktop with two external HDMI monitors. The adapter supports 2x 4K resolution 4096x2160@60Hz including audio signal.

You can use the adapter for example with MacBook Pro 2016, DELL XPS12, DELL XPS 13, DELL XPS 15, HP Elite X2, HP EliteBook Folio G1, Spectre x360, Lenovo Thinkpad P50, Lenovo Thinkpad P70, Chromebook Pixel 2015, Acer Switch Alpha 12 and other devices.

The adapter is suitable for designers, graphics and other users who work with multiple screens at the same time. Its performance lets you run even the most demanding applications on one or two independent displays, making it ideal for editing 4K 60Hz videos or for other Ultra HD tasks such as creating CAD drawings or viewing medical shots.

With the "Expand" and "Mirror" modes, you can work with apps across two monitors (e.g. wide spreadsheets), work on one monitor and search for information on the Internet using the second one, compare several documents at once, without constantly skipping open windows, view panoramic images over two monitors, track charts and current data at the same time, show several presentations at once without the necessity to have another computer, etc.

Use is very easy. Just connect the adapter to your computer either via the standard USB 3.0 interface or, thanks to the included reduction, via the modern USB-C or Thunderbolt 3 port. Use the HDMI cable to connect the imaging device, then you can start using it immediately.

Drivers are installed automatically from the system.

PRODUCT FEATURES

- 1x integrated USB 3.0 cable for connecting to the host device (27cm)
- Video ports:
 - 2x HDMI
- Supported Resolutions:

- 1 monitor – 1x HDMI → up to 1x 4K/60Hz
- 2 monitors – 1x HDMI + 1x HDMI → up to 2x 4K/60Hz
- Adapter from USB-A connector to USB-C connector
- OS: Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, 19.04, Android 5 or later, Chrome OS R51 or later
- Easy driver installation ([Windows](#), [MacOS](#), [Ubuntu](#), [Android \(external link\)](#))
- Product dimensions: 80x 60 x 15 mm
- Product weight: 75 g
- Package dimensions: 180 x 130 x 25 mm
- Package weight: 166 g

SYSTEM REQUIREMENTS

Hardware Requirements:

- Device with an available USB-A, USB-C or Thunderbolt™ 3 port

Operating System:

- Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, 19.04, Android 5 or later, Chrome OS R51 or later

SPECIFICATION

Part Number	Product Description & EAN
U3DUAL4KHDMI	i-tec USB 3.0 / USB-C Dual 4K HDMI Video Adapter EAN: 8595611701986
Hardware	
Bus type	USB-C, USB-3.0
Ports/Connectors	
HDMI	2
System Requirements	
Hardware	Hardware Requirements: Device with an available USB-A, USB-C or Thunderbolt™ 3 port
Operating system	Windows 7 / 8 / 8.1 / 10 macOS X Android 5 or later Linux Ubuntu 14.04, 16.04, 17.04, 17.10, 18.04, 19.04 Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
Other features	
Colour	black
Housing Material	plastic
Product Dimensions	80 x 60 x 15 mm
Product Weight	75 g
Package Weight	166 g

Packaging Dimensions (LxWxH)	180 x 130 x 25 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	
Product	
Manual	
USB-C adapter	

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.cz](https://www.i-tec.cz). Specifications are subject to change without notice.

Updated 24.10.2019